

COVID-19 Vaccine AstraZeneca Product Information

This vaccine has provisional registration in Australia as a vaccine used to protect people against COVID-19. The decision to approve this vaccine has been made on the basis of promising preliminary results from clinical studies. More evidence is required to be submitted when available to fully confirm the benefit and safety of the vaccine for this use.

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this vaccine, speak to your healthcare provider (e.g. doctor, nurse or pharmacist).



This vaccine is new. Please report side effects. See the [full CMI](#) for further details.

1. Why am I being given COVID-19 Vaccine AstraZeneca?

COVID-19 Vaccine AstraZeneca contains the active ingredient ChAdOx1-S. This vaccine is used to protect people aged 18 years and older against COVID-19. For more information, see Section [1. Why am I using COVID-19 Vaccine AstraZeneca?](#) in the full CMI.

2. What should I know before I am given COVID-19 Vaccine AstraZeneca?

You should not receive COVID-19 Vaccine AstraZeneca if you have ever had an allergic reaction to COVID-19 Vaccine AstraZeneca or any of the ingredients listed at the end of the CMI.

Talk to your healthcare provider if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

COVID-19 Vaccine AstraZeneca should not be given to children under 18 years. For more information, see Section [2. What should I know before I use COVID-19 Vaccine AstraZeneca?](#) in the full CMI.

3. What if I am taking, have recently taken or might take other medicines or vaccines?

Medicines (including other vaccines) that may impact whether you should be given this vaccine or not are listed in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How will I be given COVID-19 Vaccine AstraZeneca?

COVID-19 Vaccine AstraZeneca will be given to you by a healthcare provider. It is injected into a muscle (usually in the upper arm). You will receive 2 (0.5 mL per dose) injections. The second injection can be given between 4 and 12 weeks after the first injection. More instructions can be found in Section [4. How do I use COVID-19 Vaccine AstraZeneca?](#) in the full CMI.

5. What should I know while using COVID-19 Vaccine AstraZeneca?

General	As with any vaccine, COVID-19 Vaccine AstraZeneca may not protect everyone who is vaccinated from COVID-19. It is not yet known how long people who receive the vaccine will be protected for.
Driving or using machines	COVID-19 Vaccine AstraZeneca has no known effect on the ability to drive and use machines. However, side effects listed in section 6 may impact your ability to drive and use machines. If you feel unwell, do not drive or use machines.

For more information, see Section [5. What should I know about being given this COVID-19 Vaccine?](#) in the full CMI.

6. Are there any side effects?

Most side effects are mild to moderate in nature and resolve within a few days. These include tenderness, pain, warmth, redness, itching or swelling where the injection is given; Generally feeling unwell; Feeling tired (fatigue); Chills, fever or feeling feverish; Headache; Feeling sick (nausea); Muscle pain/ache, joint pain. For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.



This vaccine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get. You can report side effects to your doctor or other healthcare provider, or directly at www.tga.gov.au/reporting-problems.

COVID-19 Vaccine AstraZeneca

Active ingredient: *ChAdOx1-S*

This vaccine has provisional registration in Australia as a vaccine used to protect people against COVID-19. The decision to approve this vaccine has been made on the basis of promising preliminary results from clinical studies. More evidence is required to be submitted when available to fully confirm the benefit and safety of the vaccine for this use.

Consumer Medicine Information (CMI)

This leaflet provides important information about COVID-19 Vaccine AstraZeneca. **You should also speak to your healthcare provider (e.g. doctor, nurse or pharmacist) if you would like further information or if you have any concerns or questions about using this COVID-19 Vaccine.**

1. Why am I being given COVID-19 Vaccine AstraZeneca?

COVID-19 Vaccine AstraZeneca contains the active ingredient ChAdOx1-S. This vaccine is used to protect people aged 18 years and older against COVID-19.

COVID-19 is caused by a virus called coronavirus (SARS-CoV-2).

COVID-19 Vaccine AstraZeneca stimulates the body's natural defences (immune system). It causes the body to produce its own protection (antibodies) against the virus. This will help to protect you against COVID-19 in the future. None of the ingredients in this vaccine can cause COVID-19.

Check with your healthcare provider before vaccination if:

- You have ever had a severe allergic reaction (anaphylaxis) after any other vaccine injection;
- Your immune system does not work properly (immunodeficiency) or are taking medicines that weaken the immune system (such as high-dose corticosteroids, immunosuppressants or cancer medicines);
- You currently have a severe infection with a high temperature (over 38°C);
- You have a problem with bleeding or bruising, or if you are taking a blood thinning medicine (anticoagulant);
- You have any other medical conditions
- You take any medicines for any other condition including any recent or planned vaccines

After vaccination you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your healthcare provider if you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby. There are limited data on the use of COVID-19 Vaccine AstraZeneca in pregnant or breastfeeding women. Your healthcare provider will discuss with you whether you can be given the vaccine.

Children and adolescents

No data are currently available on the use of COVID-19 Vaccine AstraZeneca in children and adolescents younger than 18 years of age.

2. What should I know before I am given this COVID-19 vaccine

Warnings

You should not receive COVID-19 Vaccine AstraZeneca if:

- you are allergic to this vaccine or any of the ingredients listed at the end of this leaflet.
- Always check the ingredients to make sure you can use this vaccine.

3. What if I am taking, have recently taken or might take other medicines or vaccines?

Tell your healthcare provider if you are taking, have recently taken, or might take, any other vaccines or medicines including any medicines, vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop. Medicines (including other vaccines) that may impact whether you should be given this vaccine or not include the following (see also Section 2 above):

- medicines that weaken the immune system (such as high-dose corticosteroids, immunosuppressants or cancer medicines);
- blood thinning medicines (anticoagulant)
- any other vaccine including any other COVID-19 vaccines

Check with your healthcare provider if you are not sure about what vaccines, medicines, vitamins or supplements you are taking or have recently taken and if these may affect this COVID-19 Vaccine.

4. How I am given this COVID-19 Vaccine?

How COVID-19 Vaccine AstraZeneca is given

COVID-19 Vaccine AstraZeneca will be given to you by a healthcare provider. It is injected into a muscle (usually in the upper arm).

You will receive 2 (0.5 mL per dose) injections. You will be told when you need to return for your second injection of COVID-19 Vaccine AstraZeneca.

The second injection can be given between 4 and 12 weeks after the first injection.

When COVID-19 Vaccine AstraZeneca is given for the first injection, COVID-19 Vaccine AstraZeneca (and not another vaccine against COVID-19) should be given for the second injection to complete vaccination course.

If you forget to get your second injection

If you forget to go back at the scheduled time, ask your healthcare provider for advice. It is important that you return for your second injection of COVID-19 Vaccine AstraZeneca.

If you use too much COVID-19 Vaccine AstraZeneca

As COVID-19 Vaccine AstraZeneca is given under the close supervision of a healthcare provider it is unlikely that you will be given too much.

If you are concerned that you have been given too much COVID-19 Vaccine AstraZeneca, tell your healthcare provider immediately.

You should do this even if there are no signs of discomfort or poisoning.

5. What should I know about being given this COVID-19 Vaccine?

As with any vaccine, COVID-19 Vaccine AstraZeneca may not protect everyone who is vaccinated from COVID-19. It is not yet known how long people who receive the vaccine will be protected for.

Driving or using machines

Be careful before you drive or use any machines or tools until you know how this vaccine affects you.

COVID-19 Vaccine AstraZeneca has no known effect on the ability to drive and use machines. However, side effects listed in section 6 may impact your ability to drive and use machines. If you feel unwell, do not drive or use machines.

Looking after your vaccine

Your healthcare provider is responsible for storing this vaccine and disposing of any unused product correctly.

Are there any side effects?

All vaccines can have side effects. If you do experience any side effects, most of them are mild to moderate in nature and resolve within a few days. However, some side effects may need medical attention.

See the information below and, if you need to, ask your healthcare provider if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
<ul style="list-style-type: none">• Tenderness, pain, warmth, redness, itching or swelling where the injection is given• Generally feeling unwell• Feeling tired (fatigue)• Chills, fever or feeling feverish• Headache• Feeling sick (nausea)• Muscle pain/ache, joint pain	<p>Speak to your healthcare provider if you have any of these less serious side effects and they worry you</p> <p>Report all side effects to TGA (form on our website) and to nurse@BrisbaneCityDoctors.com.au</p> <p>Paracetamol can be taken if you need relief from side effects such as pain and/or fever</p>

Serious side effects

Tell your healthcare provider if you notice anything else that may be making you feel unwell. Other side effects not listed here may occur in some people.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this vaccine.

Serious side effects	What to do
<p>All injectable vaccines have the potential for an allergic reaction after you are injected.</p> <p>Some of the symptoms of an allergic reaction may include:</p> <ul style="list-style-type: none"> • rash, itching or hives on the skin • swelling of the face, lips, tongue or other parts of the body • shortness of breath, wheezing or difficulty breathing • fainting, dizziness, feeling lightheaded (due to a drop in blood pressure) 	<p>Tell your healthcare provider straight away, or go straight to the Emergency Department at your nearest hospital if you notice any of these serious side effects.</p>

Product details

What COVID-19 Vaccine AstraZeneca contains

Active ingredient (main ingredient)	One dose (0.5 mL) contains: ChAdOx1-S* 5x10 ¹⁰ viral particles (vp)
Other ingredients (inactive ingredients)	histidine, histidine hydrochloride monohydrate, sodium chloride, magnesium chloride hexahydrate, disodium edetate, sucrose, ethanol absolute, polysorbate 80 and water for injections. DO NOT TAKE VACCINE IF ALLERGIC TO ANY COMPONENTS

* Recombinant, replication-deficient chimpanzee adenovirus vector encoding the SARS-CoV-2 Spike glycoprotein. The vaccine is manufactured using material originally sourced from a human embryo (Human Embryo Kidney cells: HEK293)